Marine Biological Laboratory/ University of Chicago

STANDARDS FOR SCIENTIFIC DIVING MANUAL

Updated December 2018 AAUS
Updated 21 March 2019 MBL

Based on The American Academy of Underwater Sciences Guidelines

Marine Biological Laboratory 7 MBL St. Woods Hole, MA 02543

FOREWORD

Since 1951 the scientific diving community has endeavored to promote safe, effective diving through self-imposed diver training and education programs. Over the years, manuals for diving safety have been ci 490.56 Tma (v)EMC (t)-2 (e)4 (d be)4 (t)-2 wf(20 ( )20 (.4 (ve)4 7oMCID 23 >>BDC 0.002 Tc 0.008

Revised March 2019

Academy to see that it always reflects state of the art, safe diving practice.

American Academy of Underwater Sciences

ACKNOWLEDGEMENTS

The Academy thanks the numerous dedicated individual and organizational members for their contributions and editorial comments in the production of these standards.

Revision History
Available at www.aaus.org/About/Diving Standards

This Diving Safety Manual has been and reviewed, rewritten and accepted by the DCB to meet the current needs of the Marine Biological Laboratory located in Woods Hole MA. It is the purpose of the Marine Biological Laboratory, as an organizational member of the American Academy of Underwater Sciences, to ensure that MBL adheres to and is compliant with the most current version of the AAUS Standards for Scientific Diving.

Table of Contents

Volume 1 6
Section 1.00 GENERAL POLICY 7
1.10 Scientific Diving Standards 7
1.20 Operational Control 8
1.30 Consequence of Violation of Regulations by Scientific Divers 11
1.40 Consequences of Violation of Regulations by Organizational Members 11
1.50 Record Maintenance 11
SECTION 2.00 DIVING REGULATIONS 12
2.10 Introduction 12
2.20 Pre-Dive Procedures 12
2.30 Diving Procedures 13
2.40 Post-Dive Procedures 13
2.50 Emergency Procedures 13
2.60 Flying After Diving or Ascending to Altitude (Over 1000 feet/304 meters) 14
2.70 Record Keeping Requirements 14
SECTION 3.00 DIVING EQUIPMENT 16
3.10 General Policy 16
3.20 Equipment 16
3.30 Auxiliary Equipment 17
3.40 Support Equipment 17
3.50 Equipment Maintenance 17
SECTION 4.00 SCIENTIFIC DIVER CERTIFICATION AND AUTHORIZATIONS 19
4.10 Prerequisites 19
4.20 Training 20
4.30 Diver Certification and Authorizations 23
4.40 Depth Authorizations 24
4.50 Maintaining Active Status 25
4.60 Revocation of Authorization 25
SECTION 5.00 MEDICAL STANDARDS 27
5.10 Medical Requirements 27
5.20 Frequency of Medical Evaluations 27
5.30 Information Provided Examining Physician 27

5.40 Content of Medical Evaluations 27

5.50 Physician's Written Report 27

Volume 2 29

SECTION 6.00 NITROX DIVING 30

6.10 Requirements for Nitrox Authorization 30

6.20 Minimum Activity to Maintain Authorization 31

6.30 Operational Requirements 31

6.40 Nitrox Diving Equipment

Specialized diving activities in the AAUS manual sections 7.0 to 12.0 are not covered in the MBL manual.

AAUS pr D12 (r)1.4 t)6.9 c315W (12 (rc)5.9 5.9fr315W (a)10.78 (i.7 (a)13.72(e)3)6.90(d)120.6 (i.7 (8)111(8 (i.7 (a)1n

Volume 1

Sections 1.00 through 5.00

Revised March 2019

continuous contact with another diver in the water) for SCUBA diving.

OSHA has granted an exemption for scientific diving from commercial diving regulations under the following guidelines (Appendix B to 29 CFR 1910 Subpart T):

- The Diving Control Board consists of a majority of active scientific divers and has autonomous and absolute authority over the scientific diving program's operation.
- The purpose of the project using scientific diving is the advancement of science; therefore, information and data resulting from the project are non-proprietary.
- The tasks of a scientific diver are those of an observer and data gatherer. Construction and trouble-shooting tasks traditionally associated with commercial diving are not included within scientific diving.
- Scientific divers, based on the nature of their activities, must use scientific expertise in studying the underwater environment and therefore, are scientists or scientists-in-training.

according to local procedure.

- Has autonomous and absolute authority over the scientific diving program's operation.
- The DCB must:
    - Establish additional standards, protocols, and operational procedures beyond the AAUS minimums to address MBL's specific needs and concerns.
    - Approve and monitor diving projects.
    - Review and revise the diving safety manual.
    - Ensure compliance with the diving safety manual.
    - Approve the depth to which a diver has been authorized to dive.
    - Take disciplinary action for unsafe practices.
    - Ensure adherence to the buddy system for scientific diving.
    - Act as the official representative of the MBL in matters concerning the scientific diving program.
    - Act as a board of appeal to consider diver-related problems.
    - Recommend the issue, reissue, or the revocation of diving authorizations.
    - Recommend changes in policy and amendments to AAUS and the MBL's diving safety manual as the need arises.
    - Establish and/or approve training protocols or standards through which the applicants for authorization can satisfy the requirements of the MBL's diving safety manual.
    - Suspend diving operations considered to be unsafe or unwise.
    - Establish criteria for equipment selection and use.
    - Recommend new equipment or techniques.
    - Establish and/or approve facilities for the inspection and maintenance of diving and associated equipment.
    - Ensure that the MBL's air station(s) meet air quality standards as described in Section 3.60.
    - Periodically review the DSO's performance and program.
    - Investigate diving incidents within the MBL's diving program or violations of the MBL's diving safety manual.
- The DCB may delegate operational oversight for portions of the program to the DSO; however, the DCB may not abdicate responsibility for the safe conduct of the diving program.

Diving Safety Officer

The Diving Safety Officer (DSO) serves as a voting member of the DCB, and should be designated one of the MBL's Representatives to AAUS. This person should have broad technical expertise and experience in research related diving.

Qualifications:

1. Must be an active scuba instructor from an internationally recognized certifying agency.
2. Must be appointed by the responsible administrative officer or designee, with the advice and counsel of the DCB.
3. Must qualify as a Full Voting Member of AAUS as defined by AAUS Bylaws:

"(a) Holds a diving certification from a recognized national certifying agency or equivalent, and
(b) Has engaged in sustained or successive scientific diving activities during the past two years, or
(c) Has completed a course in scientific diving that meets the requirements as specified

Waiver of Requirements

The MBL DCB may grant a waiver for specific requirements of training, examinations, depth authorizations, and minimum activity to maintain authorizations. AAUS medical standards may not be waived.

1.30 Consequence of Violation of Regulations by Scientific Divers

Failure to comply with the regulations of the MBL's diving safety manual may be cause for the restriction or revocation of the diver's scientific diving authorization by action of theMBL's DCB.

1.40 Consequences of Violation of Regulations by Organizational Members

Failure to comply with the regulations of this *Manual* may be cause for the restriction or revocation of the MBL's recognition by AAUS.

1.50 Record Maintenance

The MBL must maintain consistent records for its diving program and for each participant. These records include but are not limited to: diving safety manual; equipment inspection, testing, and maintenance records; dive plans (project and/or individual); records of dive (project and/or individual); medical approval to dive; diver training records; diver authorization(s); individual dive log; dive incident reports; reports of disciplinary actions by the DCB; and other pertinent information deemed necessary by the MBL.

Availability of Records:

- Medical records must be available to an attending physician of a diver or former diver when released in writing by the diver.
- Records and documents required by this Manual must be retained by the MBL for the following period:

    1. Diving safety manual – Current document only.
    2. Equipment inspection, testing, and maintenance records – Minimum current entry or tag.
    3. Records of Dive – minimum of 1 year, except 5 years where there has been an incident of pressure-related injury.
    4. Medical approval to dive – Minimum of 1 year past the expiration of the current document except 5 years where there has been an incident of pressure-related injury.
    5. Diver training records – Minimum of 1 year beyond the life of the diver's program participation.
    6. Diver authorization(s) – Minimum of 1 year beyond the life of the diver's program participation.
    7. Pressure-related injury assessment - 5 years.
    8. Reports of disciplinary actions by the DCB – Minimum of 1 year beyond the life of the diver's program participation.

SECTION 2.00 DIVING REGULATIONS

2.10 Introduction



Nofi0 Tam0 Tw 8porchp0 Tw 8oj 7.7 eTd( )TJ 7.7 o0 0 TD(Tw 8p0 Tw 8oj 7.7 eTd( )TJ 7.7 o0 0 Tandw 7.7 (a)

- Each diver must have the capability of achieving and maintaining positive buoyancy at the surface.
- Environmental conditions at the site will be evaluated prior to entering the water.

Pre-dive Briefings

Before conducting any diving operations under the auspices of the MBL, the dive team members must be briefed on:

- Dive Buddy assignments and tasks
- Dive objectives.
- Maximum depth(s) and bottom time
- Turn around pressure and required surfacing pressure
- Entry, exit, descent and ascent procedures

2.60 Flying After Diving or Ascending to Altitude (Over 1000 feet/304 meters)

- Following a Single No-Decompression Dive: Divers should have a minimum preflight

- Disposition of case.
- Recommendations to avoid repetition of incident.

SECTION 3.00 DIVING EQUIPMENT

3.10 General Policy

All equipment must meet standards as determined by the DSO and the DCB. All equipment must be regularly examined by the person using it and serviced according to manufacturer recommendations. Equipment that is subjected to extreme usage under adverse conditions should require more frequent testing and maintenance.

3.20 Equipment

The MBL's DCB must establish the minimum equipment configuration for all dives.

Regulators and Gauges

Scuba regulators and gauges must be inspected and tested prior to each use and serviced, at a minimum, according to manufacturer's recommendations

Standard open circuit (OC) regulator configuration is:

A first stage
Primary 2nd stage
Back up 2nd stage
Submersible Pressure Gauge (SPG)
Inflator hose for a Buoyancy Compensator Device

A Full Face Mask may be used in place of the primary 2nd stage according to manufacturer's recommendations

Equipment for Determination of Decompression Status

Each member of the buddy team must have an underwater timing device and depth indicator, or dive computer

If dive tables are being used a set must be available at the dive location

If a dive computer is used the diver must use the same computer used on repetitive dives.

In an aquarium or other manmade structure of a known maximum obtainable depth:

- A depth indicator is not required, except when a diver's decompression status must be taken into consideration on repetitive dives.
- Only one buddy must be equipped with a timing device.
- The maximum obtainable depth of the aquarium must be used as the diving depth.

Scuba Cylinders

Scuba cylinders must be designed, constructed, and maintained in accordance with the applicable provisions of the Unfired Pressure Vessel Safety Orders.

Scuba cylinders must be hydrostatically tested in accordance with DOT standards.

Scuba cylinders must have an internal and external inspection at intervals not to exceed 12 months.

Scuba cylinder valves must be functionally tested at intervals not to exceed 12 months.

Buoyancy Compensation Devices (BCD)

Each diver must have the capability of achieving and maintaining neutral buoyancy underwater and positive buoyancy at the surface.

BCDs, dry suits, or other variable volume buoyancy compensation devices must be equipped with an exhaust valve.

These devices must be functionally inspected and tested at intervals not to exceed 12 months.

BCDs, dry suits, or other variable volume buoyancy compensation devices must not be used as a lifting device in lieu of lift bags.

3.30 Auxiliary Equipment

Handheld Underwater Power Tools

Power tools and equipment used underwater must be specifically approved for this purpose.
Tools and equipment supplied with power from the surface must be de-energized before being placed into or retrieved from the water.
Handheld power tools must not be supplied with power from the dive location until requested by the diver.

3.40 Support Equipment

First Aid Supplies

A first aid kit and emergency oxygen appropriate for the diving being conducted must be available at the dive site.

Diver's Flag

A diver's flag must be displayed prominently whenever diving is conducted under circumstances where required or where water traffic is probable.

Compressor Systems - Organizational Member Controlled

The following will be considered in design and location of compressor systems:
Low-pressure compressors used to supply air to the diver if equipped with a volume tank must have a check valve on the inlet side, a relief valve, and a drain valve.
Compressed air systems over 500 psig must have slow-opening shut-off valves.
All air compressor intakes must be located away from areas containing exhaust or other contaminants.

3.50 Equipment Maintenance

Record Keeping

Each equipment modification, repair, test, calibration, or maintenance service must be logged, including the date and nature of work performed, serial number of the item (if applicable), and the name of the person performing the work for the following equipment:

Regulators
Gauges (SPG, Depth Gauges, Timers, and Dive Computers)
BCDs
Dry suits
Scuba cylinders and valves
Full Face Masks
Compressors, air filtration systems, gas control panels, and storage banks
Surface supplied equipment
Rebreather systems
Additional equipment categories as determined by the DCB

Compressor Operation and Air Test Records

Gas analyses and air tests must be performed on each MBL-controlled breathing air compressor at regular intervals of no more than 100 hours of operation or 6 months, whichever occurs first. The results of these tests must be entered in a formal log and be maintained.

SECTION 4.00 SCIENTIFIC DIVER CERTIFICATION AND AUTHORIZATIONS

This section describes the training and performance standards for AAUS Scientific Divers and represent

	submerged* ● Demonstrate techniques of self-rescue and buddy rescue* ● Navigate underwater ^ ● Plan and execute a dive^ ● Demonstrate judgment adequate for safe scientific diving* ^^
	Rescue Skills: ● Rescue from depth and transport 25 yards (23 meters), as a diver, a passive simulated victim of an accident: surface diver, establish buoyancy, stabilize victim ● Demonstrate simulated in-water mouth-to-mouth resuscitation ● Removal of victim from water to shore or boat ● Stressed and panicked diver scenarios ● Recommendations For Rescue Of A Submerged Unresponsive Compressed-Gas Diver – Appendix 9

	drowning, air embolism, hypercapnia, squeezes, oxygen toxicity, nitrogen narcosis, exhaustion and panic, respiratory fatigue, motion sickness, decompression sickness, hypothermia, and hypoxia/anoxia ● Applicable theoretical training and knowledge development from the Required and Suggested Topics (above)

4.30 Diver Certification and Authorizations

Only a person diving under the auspices of an OM that subscribes to the practices of the AAUS is eligible for a scientific diver certification.

Diver-In-Training (DIT) Authorization

This is an authorization to dive, usable only while it is current and for the purpose intended. This

4.40 Depth Authorizations

Depth Ratings and Progression to Next Depth Level

Indicates the maximum depth in which a diver can conduct science and may supervise other divers holding a lesser depth authorization. A scientific diver requires a valid depth authorization to be considered active.

A diver may be authorized to the next depth level after successfully completing the requirements for that level. A diver may exceed his/her depth authorization when accompanied and supervised by a dive buddy holding a depth authorization greater or equal to the intended depth. Dives must be planned and executed with the permission of the DCB or designee.

In the event a diver within the MBL does not hold an authorization at the desired next level, the DCB may authorize a required progression or procedure for a diver to attain a deeper authorization. If local conditions do not conform to traditional AAUS depth progressions, the DCB may devise a reasonable accommodation. However, the total number of dives to obtain a given depth authorization must follow the cumulative number of dives listed below.

a) Authorization to 30 Foot Depth - Initial science diver depth authorization, approved upon the successful completion of training listed in Section 4.00. Cumulative minimum supervised dives: 12.
b) Authorization to 60 Foot Depth - A diver holding a 30-foot authorization may be authorized to a depth of 60 feet after successfully completing and logging 12 supervised dives to depths between 31 and 60 feet under supervision of a diver authorized by the DCB, for a minimum total time of 4 hours. Cumulative minimum supervised dives: 24.
c) Authorization to 100 Foot Depth - A diver holding a 60-foot authorization may be authorized to a depth of 100 feet after successfully completing and logging 6 supervised dives to depths between 61 and 100 feet under supervision of a dive buddy authorized by the DCB. The diver must also demonstrate proficiency in the use of the appropriate decompression profiling method. Cumulative minimum supervised dives: 30.
d) Authorization to 130 Foot Depth - A diver holding a 100-foot authorization may be authorized to a depth of 130 feet after successfully completing and logging 6 supervised dives to depths between 100 and 130 feet under supervision of a dive buddy authorized by the DCB. The diver must also demonstrate proficiency in the use of the appropriate decompression profiling method. Cumulative minimum supervised dives: 36.
e) Authorization to 150 Foot Depth - A diver holding a 130-foot authorization may be authorized to a depth of 150 feet after successfully completing and logging 6 supervised dives to depths between 130 and 150 feet under supervision of a dive buddy authorized by the DCB. The diver must also demonstrate knowledge of the special problems of deep diving and of special safety requirements. Cumulative minimum supervised dives: 42.
f) Authorization to 190 Foot Depth - A diver holding a 150-foot authorization may be authorized to a depth of 190 feet after successfully completing and logging 6 dives to depths between 150 and 190 feet under supervision of a dive buddy authorized by the DCB. The diver must also demonstrate knowledge of the special problems of deep diving and of special safety requirements. Cumulative minimum supervised dives: 48.

Diving on air is not permitted beyond a depth of 190 feet. Dives beyond 190 feet require the use of mixed gas.

4.50 Maintaining Active Status

Minimum Activity to Maintain Authorizations

During any 12-month period, each scientific diver must log a minimum of 12 scientific, scientific training, or proficiency dives. At least one dive must be logged near the maximum depth, as defined by the DCB, of the diver's authorization during each 6-month period. Divers authorized to 150 feet or deeper may satisfy these requirements with dives to 130 feet or deeper. Failure to meet these requirements will result in revocation or restriction of authorization by the DSO under procedures established by the DCB.

Requalification of Authorization

Once the initial requirements of Section 4.00 are met, divers whose depth authorization has lapsed due to lack of activity may be requalified by procedures adopted by the DCB.

Medical Examination

All scientific divers must pass a medical examination at the intervals specified in Section 5.0. A medically cleared diver experiencing any Conditions Which May Disqualify Candidates From Diving

SECTION 5.00 MEDICAL STANDARDS

5.10 Medical Requirements

General

- All medical evaluations required by this *Manual* must be performed by, or under the direction of, a licensed physician of the applicant-diver's choice, preferably one trained in diving/undersea medicine.
- The diver should be free of any chronic disabling disease and any conditions contained in the list of conditions for which restrictions from diving are generally recommended. (Appendix 1)
- The MBL must verify that divers have been declared by the examining medical authority to be fit to engage in diving activities.

5.20 Frequency of Medical Evaluations

Medical evaluation must be completed:		
Before Age 40	After age 40 Before Age 60	After Age 60
Before a diver may begin diving, unless an equivalent initial medical evaluation has been given within the preceding 5 years	Before a diver may begin diving, unless an equivalent initial medical evaluation has been given within the preceding 3 years	Before a diver may begin diving, unless an equivalent initial medical evaluation has been given within the preceding 2 years
At 5-year intervals	At 3-year intervals	At 2-year intervals
Clearance to return to diving must be obtained from a healthcare provider following a medically cleared diver experiencing any Conditions Which May Disqualify Candidates From Diving (Appendix 1), or following any major injury or illness, or any condition requiring chronic medication. If the condition is pressure related, the clearance to return to diving must come from a physician trained in diving medicine.		

5.30 Information Provided Examining Physician

The MBL must provide a copy of the medical evaluation requirements of this *Manual* to the examining physician. (Appendices 1, 2, and 3).

5.40 Content of Medical Evaluations

Medical examinations conducted initially and at the intervals specified in Section 5.20 must consist of the following:

1. Diving physical examination (Appendix 2). Modifications or omissions of required tests are not permitted
2. Applicant agreement for release of medical information to the Diving Safety Officer and the DCB (Appendix 2b)
3. Medical history (Appendix 3)

5.50 Physician's Written Report

- A Medical Evaluation of Fitness For Scuba Diving Report (or MBL equivalent) signed by the examining physician stating the individual's fitness to dive, including any recommended restrictions or limitations will be submitted to the MBL for the diver's record after the examination is completed.

- The Medical Evaluation of Fitness For Scuba Diving Report will be reviewed by the DCB or

SECTION 6.00 NITROX DIVING

This section describes the requirements for authorization and use of nitrox for Scientific Diving.

Written Evaluation

- Function, care, use, and maintenance of equipment cleaned for nitrox use.
- Physical and physiological considerations of nitrox diving (eg.: O_2 and CO_2 toxicity)
- Diving regulations, procedures/operations, and dive planning as related to nitrox diving
- Equipment marking and maintenance requirements
- Dive table and/or dive computer usage
- Calculation of: MOD, pO_2

6.40 Nitrox Diving Equipment

Required Equipment

All of the designated equipment and stated requirements regarding scuba equipment required in the MBL/*AAUS Manual* apply to nitrox operations. Additional minimal equipment necessary for nitrox diving operations includes:

- Labeled SCUBA Cylinders in Accordance with Industry Standards
- Oxygen Analyzers
- Oxygen compatible equipment as applicable

Requirement for Oxygen Service

- All equipment, which during the dive or cylinder filling process is exposed to concentrations greater than 40% oxygen, should be cleaned and maintained for oxygen service.
- Any equipment used with oxygen or mixtures containing over 40% by volume oxygen must be designed and maintained for oxygen service. Oxygen systems over 125 psig must have slow-opening shut-off valves.

Compressor system

- Compressor/filtration system must produce oil-free air, or
- An oil-lubricated compressor placed in service for a nitrox system should be checked for oil and hydrocarbon contamination at least quarterly.

APPENDIX 1 DIVING MEDICAL EXAM OVERVIEW FOR THE EXAMINING PHYSICIAN

TO THE EXAMINING PHYSICIAN:

This person, _____, requires a medical examination to assess their fitness for certification as a Scientific Diver for the **Marine Biological Laboratory**. Their answers on the Diving Medical History Form (attached) may indicate potential health or safety risks as noted. Your evaluation is requested on the attached scuba Diving Fitness Medical Evaluation Report. If you have questions about diving medicine, you may wish to consult one of the references on the attached list or contact one of the physicians with expertise in diving medicine whose names and phone numbers appear on an attached list, the Undersea Hyperbaric and Medical Society, or the Divers Alert Network. Please contact the undersigned Diving Safety Officer if you have any questions or concerns about diving medicine or the _____ standards. Thank you for your assistance. Marine Biological Laboratory

_____ _____

Diving Safety Officer Date

_____ _____

William Grossman 508-289-7655

Scuba and other modes of compressed-gas diving can be strenuous and hazardous. A special risk is present if the middle ear, sinuses, or lung segments do not readily equalize air pressure changes. The most common cause of distress is eustachian insufficiency. Recent deaths in the scientific diving community have been attributed to cardiovascular disease. Please consult the following list of conditions that usually restrict candidates from diving.

(Adapted from Bove, 1998: bracketed numbers are pages in Bove) (Adæ,15.4 (nuous.04816.1 (e).4 (d)bnorm23.7 (l)-7.7 (e)15.5 (i8 (ndi)

SELECTED REFERENCES IN DIVING MEDICINE

Available from Best Publishing Company, P.O. Box 30100, Flagstaff, AZ 86003-0100, the Divers Alert Network (DAN) or the Undersea and Hyperbaric Medical Society (UHMS), Durham, NC

- Elliott, D.H. ed. 1996. *Are Asthmatics Fit to Dive?* Kensington, MD: Undersea and Hyperbaric Medical Society.
- Bove, A.A. 2011. The cardiovascular system and diving risk. *Undersea and Hyperbaric Medicine* 38(4): 261-269.
- Thompson, P.D. 2011. The cardiovascular risks of diving. *Undersea and Hyperbaric Medicine* 38(4): 271-277.
- Douglas, P.S. 2011. Cardiovascular screening in asymptomatic adults: Lessons for the diving world. *Undersea and Hyperbaric Medicine* 38(4): 279-287.
- Mitchell, S.J., and A.A. Bove. 2011. Medical screening of recreational divers for cardiovascular disease: Consensus discussion at the Divers Alert Network Fatality Workshop. *Undersea and Hyperbaric Medicine* 38(4): 289-296.
- Grundy, S.M., Pasternak, R., Greenland, P., Smith, S., and Fuster, V. 1999. Assessment of Cardiovascular Risk by Use of Multiple-Risk-Factor Assessment Equations. AHA/ACC Scientific Statement. *Journal of the American College of Cardiology*, 34: 1348-1359. http://content.onlinejacc.org/cgi/content/short/34/4/1348
- Bove, A.A. and Davis, J. 2003. DIVING MEDICINE, Fourth Edition. Philadelphia: W.B. Saunders Company.
- Edmonds, C., Lowry, C., Pennefather, J. and Walker, R. 2002. DIVING AND SUBAQUATIC MEDICINE, Fourth Edition. London: Hodder Arnold Publishers.
- Bove, A.A. ed. 1998. MEDICAL EXAMINATION OF SPORT SCUBA DIVERS, San Antonio, TX: Medical Seminars, Inc.
- NOAA DIVING MANUAL, NOAA. Superintendent of Documents. Washington, DC: U.S. Government Printing Office.
- U.S. NAVY DIVING MANUAL. Superintendent of Documents, Washington, DC: U.S. Government Printing Office, Washington, D.C.

APPENDIX 2
AAUS MEDICAL EVALUATION OF FITNESS FOR SCUBA DIVING REPORT

_____ _____

APPENDIX 2b
AAUS/MBL MEDICAL EVALUATION OF FITNESS FOR SCUBA DIVING REPORT

APPLICANT'S RELEASE OF MEDICAL INFORMATION FORM

_____

Name of Applicant (Print or Type)

I authorize the release of this information and all medical information subsequently acquired in association with my diving to the **Marine Biological Laboratory**

APPENDIX 3
DIVING MEDICAL HISTORY FORM

(To Be Completed By Applicant-Diver)

Name _____ DOB ____ Age ___ Wt.___ Ht. ___

Sponsor _____ Date ___/___/___
(Dept./Project/Program/School, etc.) (Mo/Day/Yr)

TO THE APPLICANT:

Scuba diving places considerable physical and mental demands on the diver. Certain medical and physical requirements must be met before beginning a diving or training program. Your accurate answers to the questions are more important, in many instances, in determining your fitness to dive than what the physician may see, hear or feel as part of the diving medical certification procedure.

59			Low blood pressure	
60			Recurrent or persistent swelling of the legs	
61			Pounding, rapid heartbeat or palpitations	
62			Easily fatigued or short of breath	
63			Abnormal EKG	
64			Joint problems, dislocations or arthritis	
65			Back trouble or back injuries	
66			Ruptured or slipped disk	
67			Limiting physical handicaps	
68			Muscle cramps	
69			Varicose veins	
70			Amputations	

71

Dive Table - A profile or set of profiles of depth-time relationships for ascent rates and breathing mixtures to be followed after a specific depth-time exposure or exposures.

Diver – A person who stays underwater for long periods by having compressed gas supplied from the surface or by carrying a supply of compressed gas.

Diver-In-Training - An individual gaining experience and training in additional diving activities under the supervision of a dive team member experienced in those activities.

Diving Mode - A type of diving required specific equipment, procedures, and techniques, for example, snorkel, scuba, surface-supplied air, or mixed gas.

Diving Control Board (DCB) - Group of individuals who act as the official representative of the membership organization in matters concerning the scientific diving program (See Diving Control Board under Section 1.0).

Diving Safety Officer (DSO) - Individual responsible for the safe conduct of the scientific diving program of the membership organization (See Diving Safety Officer under Section 1.0).

DPIC – See Designated Person-In-Charge.

EAD - Equivalent Air Depth (see below).

Emergency Swimming Ascent - An ascent made under emergency conditions where the diver may exceed the normal ascent rate.

Enriched Air (EANx) - A name for a breathing mixture of air and oxygen when the percent of oxygen exceeds 21%. This term is considered synonymous with the term “nitrox” (Section 6.00).

Equivalent Air Depth (EAD) - Depth at which air will have the same nitrogen partial pressure as the nitrox mixture being used. This number, expressed in units of feet seawater or saltwater, will always be less than the actual depth for any enriched air mixture.

Flooded Mine Diving - Diving in the flooded portions of a man-made mine. Necessitates use of techniques detailed for cave diving.

fO_2 - Fraction of oxygen in a gas mixture, expressed as either a decimal or percentage, by volume.

FSW - Feet of seawater.

Gas Management - Gas planning rule which is used in cave diving environments in which the diver reserves a portion of their available breathing gas for anticipated emergencies (See Rule of Thirds, Sixths).

Gas Matching – The technique of calculating breathing gas reserves and turn pressures for divers using different volume cylinders. Divers outfitted with the same volume cylinders may employ the Rule of

scuba cylinder supplying a standard scuba second stage. The diver is responsible for the monitoring his/her own depth, time, and diving profile.

Hyperbaric Chamber - See recompression chamber.

Hyperbaric Conditions - Pressure conditions in excess of normal atmospheric pressure at the dive location.

Independent Reserve Breathing Gas - A diver-carried independent supply of air or mixed gas (as appropriate) sufficient under standard operating conditions to allow the diver to reach the surface, or another source of breathing gas, or to be reached by another diver.

Jump/Gap Reel - Spool or reel used to connect one guide line to another thus ensuring a continuous line to the exit.

Life Support Equipment – Underwater equipment necessary to sustain life.

Lead Diver - Certified scientific diver with experience and training to conduct the diving operation.

Organizational Member (OM) - An organization which is a current member of the AAUS, and which has a program, which adheres to the standards of the AAUS as, set forth in the *AAUS Manual.*

Manifold with Isolator Valve - A manifold joining two diving cylinders, that allows the use of two completely independent regulators. If either regulator fails, it may be shut off, allowing the remaining regulator access to the gas in both of the diving cylinders.

Mixed Gas -

Primary Reel - Initial guideline used by the dive team from open water to maximum penetration or a permanently installed guideline.

Psi - Unit of pressure, “pounds per square inch.

Psig - Unit of pressure, “pounds per square inch gauge.

Recompression Chamber - A pressure vessel for human occupancy. Also called a hyperbaric chamber or decompression chamber.

Restriction - Any passage through which two divers cannot easily pass side by side while sharing air.

Rule of Thirds - Gas planning rule which is used in cave diving environments in which the diver reserves 2/3's of their breathing gas supply for exiting the cave or cavern.

Rule of Sixths - Air planning rule which is used in cave or other confined diving environments in which the diver reserves 5/6's of their breathing gas supply (for DPV use, siphon diving, etc.) for exiting the

the diving mode or conditions, and includes a safety line between the diver and the dive location.

APPENDIX 7
EMERGENCY ACTION PLAN

Introduction

A diving accident victim could be any person who has been breathing compressed gas underwater regardless of depth. It is essential that emergency procedures are pre-planned and that medical treatment is initia

APPENDIX 8
MBL/AAUS STATISTICS COLLECTION CRITERIA AND DEFINITIONS

COLLECTION CRITERIA:

The "Dive Time in Minutes", The Number of Dives Logged", and the "Number of Divers Logging Dives" will be collected for the following categories.

- Dive Classification
- Breathing Gas
-

- Mixed Gas: Dives where the bottom gas used for the dive is a combination of oxygen, nitrogen, and helium (or other inert gas), or any other breathing gas combination not classified as air or nitrox.

Diving Mode:

- Open Circuit SCUBA: Dives where the breathing gas is inhaled from a self-contained underwater breathing apparatus and all of the exhaled gas leaves the breathing loop.
- Surface Supplied: Dives where the breathing gas is supplied from the surface by means of a pressurized umbilical hose. The umbilical generally consists of a gas supply hose, strength member, pneumofathometer hose, and communication line. The umbilical supplies a helmet or full-face mask. The diver may rely on the tender at the surface to monitor the divers' depth, time and diving profile.
-

- Aquarium: An aquarium is a shallow, confined body of water, which is operated by or under the control of an institution and is used for the purposes of specimen exhibit, education, husbandry, or research (Not a swimming pool).

Incident Types:

- Hyperbaric: Decompression Sickness, AGE, or other barotrauma requiring recompression therapy.
- Barotrauma: Barotrauma requiring medical attention from a physician or medical facility, but not requiring recompression therapy.
- Injury: Any non-barotrauma injury occurring during a dive that requires medical attention from a physician or medical facility.
- Illness: Any illness requiring medical attention that can be attributed to diving.
- Near Drowning/ Hypoxia: An incident where a person asphyxiates to the minimum point of unconsciousness during a dive involving a compressed gas. But the person recovers.
- Hyperoxic/Oxygen Toxicity: An incident that can be attributed to the diver being exposed to too high a partial pressure of oxygen.
- Hypercapnea: An incident that can be attributed to the diver being exposed to an excess of carbon dioxide.
- Fatality: Any death accruing during a dive or resulting from the diving exposure.
- Other: An incident that does not fit one of the listed incident types

Incident Classification Rating Scale:

- Minor: Injuries that the OM considers being minor in nature. Examples of this c

Appendix 9

Recommendations For Rescue Of A Submerged Unresponsive Compressed-Gas Diver

From: S.J. Mitchell et al., Undersea and Hyperbaric Medicine 2012, Vol. 39, No. 6, pages 1099-1108



Revised March 2019

Begins:_____
Expires: _____
(6 month maximum)

Diving Safety Program

Application for Approval of Dive Plan

Date:_____ For: ____Proposal; ____New Project; ____Continuing Project/Renewal

PI/Project Supervisor:_____Title:_____

Project Title:_____

Department:_____Phone:_____

Address:_____Email:_____

_____

Purpose:__Research; __Instruction; __Training; __Education; __Other (Describe):_____

List of Dive Team Members: (Indicate Lead Diver(s) with *.)

Name:_____;; Auth. Depth:_____; Exp.Date:_____; Phone:_____

Name:_____;; Auth. Depth:_____; Exp.Date:_____; Phone:_____

Name:_____;; Auth. Depth:_____; Exp.Date:_____; Phone:_____

Name:_____;; Auth. Depth:_____; Exp.Date:_____; Phone:_____

Name:_____; Auth. Depth:_____; Exp.Date:_____; Phone:_____

_____

Type and Source of Vessels:_____

Special Equipment and Considerations:_____

_____

(continue on separate sheet if needed)

Emergency Management Plan

Specific Site Hazards (continue on separate sheet if needed):_____

_____

_____

Emergency Oxygen on Site? Yes / No Separate Vessel Captain? Yes / No

First Aid Kit On Site? Yes / No Surface Tender On Site? Yes / No

Emergency Contacts:

Coast Guard:

Location:_____Est. Distance from site:_____miles

Contact via:_____ Est. Response Time:_____ Response via:_____

Rescue/EMT:

Location:_____Est. Distance from site:_____miles

Contact via:_____ Est. Response Time:_____ Response via:_____

Closest Hospital:

Location:_____Est. Distance from site:_____miles

Contact via:_____ Est. Response Time:_____ Response via:_____

Closest Hyperbaric Treatment Chamber: On Site? Yes / No

Location:_____Est. Distance from site:_____miles

Contact via:_____ Est. Response Time:_____ Response via:_____

Lead Diver's and Supervisor's Affidavits:

I agree to follow all MBL diving regulations, and applicable State and Federal law while conducting these operations.

X_____(Signature of Lead Diver) Date: _____

X_____ (Signature of PI, Advisor, or Supervisor)

For DSO use only, do not write below this line

_____Approved _____Disapproved _____Conditionally Approved

Remarks, Conditions or Restrictions: _____

_____

_____

Diving Safety Officer Review Date:_____ Signature, DSO:_____

(If Required)

Diving Control Board Review Date:_____ Signature, DCB Chair:_____